

PET LOADS

Cartridge	Charge	Bullet	Primer	Velocity	Length
7mm TCU	IMR 4895 29 grains	120-grain Hornady SP	CCI 400	2,166 fps	14 inch
7mm TCU	H 4895 24 grains	160-grain Speer SP BT	CCI 400	1,775 fps	10 inch
.357 Herrett	H-4227 26 grains	180-grain Hornady SSP	CCI 250	1,849 fps	10 inch
.357 Herrett	IMR-4227 25 grains	200-grain Hornady RN	CCI 250	1,759 fps	10 inch
.300 Whisper	WW-296 18.5 grains	125-grain Nosler Ball. Tip	CCI 400	1,963 fps	10 inch
.300 Whisper	H-110 9.5 grains	220-grain Sierra Matchking	CCI 400	1,053 fps	10 inch
.309 JDJ	AA-4350 51 grains	165-grain Nosler Ball. Tip	CCI 200	2,304 fps	14 inch
.309 JDJ	AA-4350 52 grains	150-grain Winchester Fail Safe	CCI 200	2,388 fps	14 inch
.375 JDJ	AA-2520 51 grains	270-grain Speer BT	CCI 200	1,967 fps	14 inch
.375 JDJ	AA-2520 53 grains	220-grain Hornady FP	CCI 200	2,160 fps	14 inch

Loads are safe in the gun they were developed in. Reduce by at least 15 percent before working up loads in other firearms. Author cannot be responsible for data contained here.